

Quality Cleaning Products and Equipment

Material Safety Data Sheet AFS: Air freshener

1. Identification of the Substances

Product Details

Product Name: SILVER BELL SERIES METERED AIR FRESHENER AEROSOL

Product Item: SBF-033-01 Intended Use: Air freshener

2. Composition/Information on Ingredients

Substance/preparation: Preparation

Information on hazardous: This product contains the following hazardous ingredient(s)

Ingredients : According to the criteria of Directive 2001/58/EC

Chemical name	EC number	%	symbol	R-Phrases	
Butane	203-448-7	47.2	F+	R12	
Iso butane	200-857-2	11.2	F+	R12	
Propane	200-827-9	20.8	F+	R12	
Ethanol	200-578-6	10	F	R11	
[3R-(3alpha, 3abeta, 6beta, 7beta, 8aalpha)]-Octahydro-6-	243-384-7	2	X1	R36/38	
methoxy-3, 6, 8, 8-tetramethyl-1H-3a, 7-methanoazulene					
1-[1, 2, 3, 4, 5, 6, 7, 8-Octahydro-2, 3, 8, 8-tetremethy1-2-	259-174-3	2	N	R51/53	
naphthyl)ethan-1-one					
3,7-Dimethyl octan-3-yl acetate	244-033-0	1.5	X1, N	R38-51/53	

Reference is made to heating 16. Where the full text of each relevant R phrase is listed Occupational Exposure Limit(s), if relevant, are listed in section 8.

3. Hazard Identification

Classification: Extremely flammable.

Physical/chemical hazards: Extremely flammable

Important: Pressurized container, protect from sunlight and do not expose to temperatures exceeding 50°C.

Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50°C

Do not pierce or burn after use.

Do not spray on a naked flame or any incandescent material.

Keep away from sources of ignition.

No smoking. Do not spray near fire sources of heat or live electrical equipment



Quality Cleaning Products and Equipment

Environmental hazards: Based on the composition as indicated in chapter 2 the product is ecological not classified as

dangerous to the environment. No research on the product has been performed. **Human health hazards:** low hazard for usual industrial or commercial handling.

Other information: Keep out of reach children. Do not breathe spray. Use only in well-ventilated areas.

4. First-Aid Measures

Eye Contact: Not applicable for normal use. May cause prickling of the eyes.

Skin Contact: Not applicable for normal use. In case of frequent contact with skin, product may cause redness of skin.

Inhalation: Not applicable for normal use. The spray may cause prickling of the respiratory system.

Ingestion: Not applicable for normal use

5. Fire-Fighting Measures

Suitable: Cool down intact aerosol containers with water to prevent bursting in case aerosols burst. Extremely flammable propellants will be released with possible risk of explosion.

In the case of bursting the following extinguishing media may be used: water spray, CO2, foam or dry chemical.

Not suitable: Water jat

Unusual fire/explosion hazards: Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50°C, Water may be used to cool container and prevent explosion of the aerosol.

Hazardous thermal (de)composition products: It decomposes into non harmful products in case of complete combustion **Protection of fire-fighters:** Fire-fight intact aerosols from a sheltered position. In case of insufficient ventilation, wear suitable respiratory equipment.

6. Accidental Release Measures

Personal Precautions: Respiratory protection is not required if good ventilation is maintained. Do not breathe spray. In case of excess spillage wear gloves. For details see chapter 8

Environmental precautions: In case of excess spillage. Prevent contamination of soil and water. Prevent from spreading or entering into drains, ditches or rivers by using sand, earth or other appropriate barriers.

Methods for Cleaning Up: In the event of spillage or leakage, mop up main product with cloth. Dispose of in accordance with the local legislation. Collect aerosol cans for destruction in an approved container. Do not incinerate aerosol containers. Dispose at an authorized chemical waste collection point.

7. Handling and Storage

Important: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50°C. Do not pierce or burn after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition-No smoking. Do not spray near fire, sources of heat or live electrical equipment. Handle in accordance with good occupational hygiene and safety practices and only in well-ventilated areas. Do not breathe spray.

Storage: Protect from sunlight and keep away from heat.

Email: info@nabmarketing.com.au Web: www.nabclean.com.au



Quality Cleaning Products and Equipment

8. Exposure Controls/Personal Protection

Engineering measures: Use only in well-ventilated areas. Process must only be carried out in a flame-proof area with flame-proof equipment.

Hygienic measures: When handling, do not eat, drink or smoke.

Occupational Exposure : No occupational exposure limits are known on the product, but

<u>Limits</u> some are available on the hazardous ingredients defined in section 2.

Chemical name : Butane

"MAC"(Netherlands) : TWA-8 hours:1430 mg/m3 (600 ppm)

Chemical name : Isobutane

"MAC"(Netherlands) : Butane:TWA- HOURS:1430 mg/m3 (600 ppm)

Chemical name : Propane

"MAC"(Netherlands) : Not established. Oxygen expelling gas.

<u>Chemical name</u> : Ethanol

"MAC"(Netherlands) : Twa-8 hours:1000 mg/m³(500 ppm)

<u>Personal protective</u> : In case of normal use, no specific personal protective equipment is

<u>equipment</u> required.

Respiratory system : In case of excess spillage wear:filter mask, type A.

Hands : In case of excess spillage wear:nitril rubber gloves

9. Physical and Chemical Properties

Physical state : Aerosol
Colour : Colourless
Odour : Characteristic

Boiling Point : > =42°C

Specific gravity (H, O=1) : 0.60-0.65kg/1
PH : Not applicable

Solubility in water : Miscible (concentrate)

Fat solubility : Not established
Partition coefficient :n- : Not established

Octanol/water

vapour pressure : 3.3 - 4.2 ato (25°C)
vapour density : Not established
Evaporation rate : Not established
Viscosity : Not applicable
Flammability : Extremely flammable
Flash point : Not applicable
Explosive properties : Not established

Lower explosion limit : Butane: 1.3 volume % in air
Upper explosion limit : Propane: 9.5 volume % in air

Oxidising properties : Not oxidizing

Email: info@nabmarketing.com.au Web: www.nabclean.com.au



Quality Cleaning Products and Equipment

10. Stability and Reactivity

Stability: Stable under normal temperatures under pressures.

Materials to Avoid: Not applicable.

Condition to Avoid: Keep away from sources of ignition and sources of heat.

Hazardous Decomposition Products: None

11. Toxicological Information

The product is not classified as being dangerous to health on basis of the calculation criteria for the formula ingredients as laid down in EC Directives 99/45/EC and 67/548/EEC. No toxicological research on the product has been performed.

Toxicologic effects and symptoms:

Eye contact: Not applicable for normal use. May cause prickling of the eyes.

Ingestion: Not applicable for normal use.

Inhalation: Not applicable for normal use. The spray may cause pricking of respiratory system.

Skin contact: Not applicable for normal use. In case of frequent contact with skin product may cause redness of skin.

12. Hazard identification

Based on the composition as indicated in chapter 2, the product is not classified as dangerous to the environment. No ecological research on the product has been performed.

13. Disposal Considerations

Methods of disposal: Disposal in accordance with the local legislation

14. Transport Information

Proper Shipping Name: Aerosols **Inland waterways:** Not available

Sea This product is not classified according to IMDG

IMDG Class : 2
IMDG Page number : 2102
Marine pollutant : No

Air

UN/ID Number : 1950 IATA-DGR : 2



Quality Cleaning Products and Equipment

15. Regulatory Information

Ec Regulations

EC Classification

(67/548/EC-99/45/EC) and

other relevant regulations

Hazard symbol(s)

: F+



Risk phrases

R12 Extremely flammable

Safety phrases

S2: Keep out of reach of children

S16: Keep away from sources of ignition-No smoking

S23: DO not breathe spray

S51: Use only in well-ventilated area:.

16. HAZARD IDENTIFICATION

Full text of indicated R-phrases for the ingredients mentioned in chapter 2

R11: Highly flammable.

R12 Extremely flammable

R38: Initating to skin

R50: Very toxic to aquatic organisms. May cause long-term effects in the aquatic environment.

Further Information:

This sheet confirms to EC directive 2001/58/EC dated 27 July 2001. The information contained in this sheet is to the best of our knowledge true and accurate but all data. Instructions, recommendations and /or suggestions are made without guarantee.

Date Issued: 14th December 2021